

JWC-1700-1UW1




- **DIMENSIONS: 374(L)*57(W)*40mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **POWER DISSIPATION: 300W**



JWC-1700-1UV11




- **DIMENSIONS:** 90(L)*90(W)*25.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATERIAL :** Copper FIN + Copper VC
- **PROCESS:** Stamping + Soldering + Assembly
- **FIN THICKNESS:** 0.3mm
- **FIN PITCH:** 1.7mm
- **POWER DISSIPATION:** 200W



JWC-1700-1UV11-A




- **DIMENSIONS: 90(L)*90(W)*25.0mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper VC**
- **PROCESS: Stamping + Soldering + Assembly**
- **FIN THICKNESS: 0.3mm**
- **FIN PITCH: 1.7mm**
- **POWER DISSIPATION: 200W**



JWC-1700-1U1C




- **DIMENSIONS:** 88(L)*88(W)*25.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATERIAL :** Copper FIN + Copper Base
- **PROCESS:** Skived FIN + Assembly
- **FIN THICKNESS:** 0.3mm
- **FIN PITCH:** 2.1mm
- **POWER DISSIPATION:** 125W



JWC-1700-1U3C



- **DIMENSIONS: 90(L)*90(W)*28.5mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATERIAL : Copper FIN + FAN**
- **PROCESS: Skived FIN + FAN + Assembly**
- **FAN SIZE: DC 7515 Blower**
- **FAN SPEED: 1800~6600RPM**
- **POWER DISSIPATION: 120W**



JWC-1700-1UV12



- **DIMENSIONS:** 90(L)*90(W)*28.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATERIAL :** Copper FIN + Copper VC
- **PROCESS:** Stamping + Soldering + FAN Assembly
- **FAN SIZE:** DC 7515 Blower
- **FAN SPEED:** 1600~6600RPM
- **POWER DISSIPATION:** 180W



JWC-1700-2U3C



- **DIMENSIONS: 92(L)*90(W)*55.7mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATERIAL : Copper FIN + Copper Base**
- **PROCESS: Skived FIN + FAN Assembly**
- **FAN SIZE: DC 8025 FAN**
- **FAN SPEED: 1700~4300RPM**
- **POWER DISSIPATION: 110W**



JWC-1700-2U3CA



- **DIMENSIONS: 90(L)*88(W)*48mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATERIAL : Aluminum FIN + Copper Base +1HP**
- **PROCESS: Skived FIN + FAN Assembly**
- **FAN SIZE: DC 8025 FAN**
- **FAN SPEED: 1700~4300RPM**
- **POWER DISSIPATION: 150W**



JWC-1700-2UV15




- **DIMENSIONS: 91(L)*90(W)*65.5mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper VC + 2HP**
- **PROCESS: Stamping FIN + VC Soldering + FAN Assembly**
- **FAN SIZE: DC 8025 FAN**
- **FAN SPEED: 2600~8000RPM**
- **POWER DISSIPATION: 200W**



JWC-1700-2UR27




- **DIMENSIONS:** 90(L)*90(W)*65.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATEAIL :** Aluminum FIN + Copper VC+3HP
- **PROCESS:** Stamping FIN + VC soldering Assembly
- **FIN THICKNESS:** 0.4mm
- **FIN PITCH:** 2.0mm
- **POWER DISSIPATION:** 180W



JWC-1700-2UR63



- **DIMENSIONS:** 90(L)*90(W)*67.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATEAIL :** Aluminum FIN + 4HP
- **PROCESS:** Stamping FIN + HP Soldering + FAN Assembly
- **FAN SIZE:** DC 8025 FAN
- **FAN SPEED:** 2600~8000RPM
- **POWER DISSIPATION:** 200W



JWC-1700-2UR64




- **DIMENSIONS:** 90(L)*90(W)*67.0mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATEAIL :** Aluminum FIN + 4HP
- **PROCESS:** Stamping FIN + HP Soldering + FAN Assembly
- **FAN SIZE:** DC 8025 FAN
- **FAN SPEED:** 2600~8000RPM
- **POWER DISSIPATION:** 200W



JWC-1700-2UR65




- **DIMENSIONS: 90(L)*90.5(W)*67.7mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + 4HP**
- **PROCESS: Stamping FIN + HP Soldering + FAN Assembly**
- **FAN SIZE: DC 8025 FAN**
- **FAN SPEED: 2600~8000RPM**
- **POWER DISSIPATION: 220W**



JWC-1700-2UR67



- **DIMENSIONS: 88(L)*90(W)*67.0mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + 5HP**
- **PROCESS: Stamping FIN + HP Soldering + FAN Assembly**
- **FAN SIZE: DC 8025 FAN**
- **FAN SPEED: 2600~8000RPM**
- **POWER DISSIPATION: 240W**



JWC-1700-4UR19



- **DIMENSIONS: 105(L)*92.5(W)*125.8mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + AL Base + 5HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 FAN**
- **FAN SPEED: 1300~3800RPM**
- **POWER DISSIPATION: 180W**



JWC-1700-4UR22



- **DIMENSIONS: 98.8(L)*92.5(W)*124.8mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper Base+ 5HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 FAN**
- **FAN SPEED: 1300~3800RPM**
- **POWER DISSIPATION: 220W**



JWC-1700-4UR25



- **DIMENSIONS: 120(L)*104(W)*155mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper Base + 6HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 2FAN**
- **FAN SPEED: 1300~3800RPM**
- **POWER DISSIPATION: 300W**



JWC-1700-4UR26




- **DIMENSIONS: 130(L)*106(W)*151mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper Base + 6HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 2FAN**
- **FAN SPEED: 1000~2200RPM**
- **POWER DISSIPATION: 280W**



JWC-1700-4UR28



- **DIMENSIONS:** 94(L)*94(W)*125mm(H)
- **CPU HOLE SPACE:** 78*78mm
- **MATEAIL :** Aluminum FIN + Copper Base+6HP
- **PROCESS:** Stamping FIN+HP Riveting Assembly
- **FIN THICKNESS:** 0.4mm
- **FIN PITCH:** 2.0mm
- **POWER DISSIPATION:** 280W



JWC-1700-4UR29



- **DIMENSIONS: 100(L)*96(W)*125mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + Copper Base + 6HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 FAN**
- **FAN SPEED: 2000~5000RPM**
- **POWER DISSIPATION: 270W**



JWC-1700-4UR96



- **DIMENSIONS: 114(L)*92.5(W)*125.7mm(H)**
- **CPU HOLE SPACE: 78*78mm**
- **MATEAIL : Aluminum FIN + AL Base + 6HP**
- **PROCESS: Stamping FIN + HP Riveting + FAN Assembly**
- **FAN SIZE: DC 9025 FAN**
- **FAN SPEED: 1300~3800RPM**
- **POWER DISSIPATION: 240W**

